

آتش پویا سپاهان

ATASH POOYA SEPAHAN

تولید کننده فرآورده های نسوز صنعتی
در ابعاد و اندازه های مختلف



ATASHPOOYA REFRACTORIES CO.

APCO - D135

General Properties

Classification	Super duty Fireclay Brick
Description	Contains mullite phase with excellent mechanical and chemical heat resistance
Raw Material Basis	High quality chamotte(SEMIROM)
Bond	Ceramic
Packaging	Pallet
Storage Life(Month)	No expiration date

Main Chemical Component

Al ₂ O ₃ (%)	SiO ₂ (%)	Fe ₂ O ₃ (%)	TiO ₂ (%)
38-42	52-56	2.0-3.0	2.0-3.0

Physical & Thermal Properties

Refractory Under Load T05	1320
Bulk Density (gr/cm ³)	2.2-2.3
Cold Crushing Strength (Kg/cm ²)	400-600